

## Glass Pre-Treatment 39903

Technical Data			January 2021
3M Part Number	3M Part Descriptor		
39903		1 4 fl. oz bott	tle, 6 bottles/case
Product Descriptic	on		ed to prepare a vehicle windshield and other r of 3M™ Ceramic Coating. Used together these vater repellency.
Typical Physical P	roperties	representative or typical purposes.	nformation and data should be considered only and should not be used for specification
		Solvent	Isopropyl alcohol and water
		A ative In availante	
		Active Ingredients	Less than 1% by weight
		VOC	Less than 1% by weight 6.08 lbs./gallon (728 g/l)
			, ,
		voc	6.08 lbs./gallon (728 g/l)
		VOC Color	6.08 lbs./gallon (728 g/l) Clear 53°F (12°C)

## **3M<sup>™</sup> Glass Pre-Treatment** 39903

Directions for Use	Attention: Wear protective gloves and eye/face protection.		
	<ol> <li>Allow bottle contents to acclimate to room temperature before using.</li> <li>Moisten a clean, soft absorbent, lint-free cloth with the pre-treatment and spray directly onto the glass. Wipe glass in one direction to ensure complete coverage.</li> <li>Immediately wipe the area with a dry, lint-free cloth to ensure the area is completely dry with no visible residue.</li> <li>Apply 3M<sup>™</sup> Ceramic Coating within 15 minutes after treating the surface to minimize the risk of recontamination of the surface.</li> </ol>		
Product Uses	This 3M™ Glass Pre-Treatment is designed to treat automotive glass before applying 3M™ Ceramic Coating.		
Storage and Handling	Store in an environment between 50°F to 95°F (10°C to 35°C). Allow the solution to acclimate to application room temperature condition before using to treat glass. Note: Flammable Liquid and Vapor. Keep away from sources of ignition and avoid static discharge. Conductive clothing and shoes are recommended while dispensing or handling this product.		
Precautionary Information	Before using this product, please reference Product Label and/or Safety Data Sheet for Health and Safety Information. Note: Laws controlling the acceptable amounts of Volatile Organic Compounds (VOCs) vary by state, and in some cases by locality. For surface preparation and clean-up activities, consult federal, state and local regulations regarding use of products containing VOCs in your area.		
Technical Information	The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.		
Product Selection and Use	Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product in accordance with all applicable instructions and with appropriate safety equipment, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.		

Warranty, Limited Remedy and Disclaimer	Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement or repair of the 3M product or refund of the purchase price. Warranty claims must be made within one (1) year from the date of 3M's shipment.
Limitation of Liability	Except for the limited remedy stated above, and except to the extent prohibited by applicable law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

## Disclaimer

3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use. Unless specifically stated otherwise on the applicable product packaging or literature, these products are not intended, labeled, or packaged for sale to or use by consumers (e.g., for home, personal, primary or secondary school, recreational/sporting, or other uses not described in the applicable product packaging or literature), and must be selected and used in compliance with applicable health and safety regulations and standards (e.g., U.S. OSHA, ANSI), as well as all product literature, user instructions, warnings, and other limitations, and the user must take any action required under any recall, field action or other product use notice. Misuse of 3M industrial and occupational products may result in injury, sickness, death, or property damage. For help with product selection and use, consult your on-site safety professional, industrial hygienist, or other subject matter expert. For additional product information, visit www.3M.com.[1]



Automotive Aftermarket Division 3M Center, Building 0223-6-S-07 St. Paul, MN 55144-1000 1-877-666-2277 (1-877-MMM-CARS) 3MCollsion.com